

Electric Truck Guidance Report Series

High-Potential Regions for Electric Truck Deployments: Technical Appendix

Updated November 2020



IN
PARTNERSHIP
WITH



Table of Contents

Introduction	3
Overview of Analytical Approach.....	6
Indicator Analysis.....	7
Table of Figures.....	16
Bibliography.....	17

Introduction

Fully electric trucks, often referred to as commercial battery electric trucks, are reaching wider-scale consideration as truck, engine, and other component makers are developing the systems that will support such vehicles. Battery and power-electronic development has progressed to make these trucks viable in certain applications. These trucks will have many benefits (more renewable energy, simpler design, etc.), but come with challenges (need for new infrastructure, development investments, etc.).

To date, the North American Council for Freight Efficiency (NACFE) and Rocky Mountain Institute (RMI) have published four Guidance Reports on a range of topics related to commercial battery electric vehicles and continue to study developments in this rapidly changing segment of the trucking industry.

As part of this work, NACFE and RMI have embarked on a three-year project to gain a better understanding of how commercial battery electric vehicles fit into the regional haul market, which research has shown is an important segment of the trucking industry and also one that makes sense for electrification, given its short-haul nature and return-to-base operation (North American Council for Freight Efficiency 2020). Funded by Hewlett Foundation and ClimateWorks Foundation, this work includes:


- Identifying high-potential regional trucking routes
- Supporting implementation of first- and next-mover deployments
- Scaling of best practices in infrastructure deployment
- Increasing confidence in the value of electrification

NACFE and RMI released a new report in August 2020, *High-Potential Regions for Electric Truck Deployments*, that proposes a three-part framework that the industry can use to prioritize regions for electric truck deployments:

- **Technology** – Identify the regions that are most favorable to the unique attributes of the technology itself.
- **Need** – Identify the regions that exhibit the greatest need for the technology.
- **Support** – Identify the regions that provide the most support for the technology.


Technical Appendix – High-Potential Regions for Electric Truck Deployments

Figure 1: Framework for Identifying and Prioritizing High-Potential Regions for Electric Truck Deployments



The report also presents an initial analysis of where these three criteria come together to create a “hotspot” for near-term regional haul electric truck deployment in the US and Canada. Regions are rated based on these criteria, resulting in a “heatmap” of electric truck potential by state or province, which distinguishes between regions fleets should *consider* to those that are the *highest priority* for electric truck deployments.

Figure 2: Heatmap of High-Potential Regions for Electric Truck Deployments



The aim of this analysis is to initiate a data-informed dialogue about which regions have the highest potential for successful regional haul electric truck deployments and why, and to spur feedback from the industry. This technical appendix provides detailed information on the methodology used in *High-Potential Regions for Electric Truck Deployments*.

Technical Appendix – High-Potential Regions for Electric Truck Deployments

Overview of Analytical Approach

The analytical approach of *High-Potential Regions for Electric Truck Deployments* consisted of three main steps: the study team (1) identified two to three indicators for each category in the framework; (2) evaluated data for each of the indicators at the state or province level; and (3) scored states and provinces based on their potential for successful electric truck deployments.

For this initial analysis, all indicators were weighted equally, and each had a maximum potential score of two points. There were eight indicators in total, for a total maximum potential score of sixteen.

States and provinces with the highest scores are indicated on the heatmap as “high priority,” while states and provinces with lower scores are designated as regions the industry should “consider” for regional haul electric truck deployments.

We tried to use publicly available data whenever possible. Some considerations mentioned in the full report were not analyzed for this analysis, either because data was not available or because it varies significantly within states and provinces (e.g., grade).

The *High-Potential Regions for Electric Trucks Data Analysis Tools*, available for download, include the data and calculations used in this initial analysis for both the US and Canada. Stakeholders are encouraged to use this tool to run their own analyses using data specific to the vehicles within their fleet or jurisdiction.

Figure 3: High-Potential Regions for Electric Trucks Data Analysis Tool - US

Category	Technology		Need			Support		
Indicator	Climate (Heating & Cooling Needs)	Benefit of Electricity Compared to Diesel*	Air Quality Nonattainment Levels	Lifecycle Emissions Benefits	Freight Flow	Supportive Policies & Incentives	Expressed Interest	Funding Availability
Metric	Sum of heating degree days (HDD) and cooling degree days (CDD)	using electricity rather than diesel	Population of Counties in Nonattainment for ozone	How Much Better than Diesel	Freight Transported	# of Policies	NESCAUM electric truck MOU signatory	Approved VW Funding & Utility Investment
State								
Alabama	4751	39%	0	60%	92197	0	No	\$ 1.65
Alaska	8847	21%	0	80%	103113	0	No	\$ -
Arizona	5793	59%	4,032,394	62%	41384	0	No	\$ 4.20
Arkansas	5288	54%	0	68%	57810	0	No	\$ 1.53
California	2267	38%	34,676,363	80%	349008	4	Yes	\$ 50.83
Colorado	7285	51%	3,329,773	52%	85969	1	Yes	\$ 1.27
Connecticut	6139	11%	3,574,097	78%	25673	0	Yes	\$ -
Delaware	5808	57%	538,479	72%	5491	1	No	\$ 2.30
District of Columbia*	5567	45%	601,723	72%	1374	0	No	\$ 18.97
Florida	3953	54%	0	62%	117468	0	No	\$ -
Georgia	4679	51%	3,669,376	60%	94699	0	No	\$ -
Hawaii	4451	-33%	0	55%	6848	0	Yes	\$ -
Idaho	6555	63%	0	77%	47339	0	No	\$ 3.34
Illinois	7382	54%	8,615,813	44%	216505	0	No	\$ 1.89
Indiana	6644	45%	605,972	56%	100440	0	No	\$ 1.74
Iowa	7805	47%	-	57%	129311	0	No	\$ 1.42
Kansas	6547	48%	-	51%	105197	3	No	\$ 2.07
Kentucky	5888	48%	1,223,699	58%	103379	1	No	\$ -
Louisiana	4196	55%	-	68%	233898	0	No	\$ 3.41
Maine	7344	41%	-	78%	14464	0	Yes	\$ 4.13
Maryland	5866	55%	5,067,669	72%	24078	0	Yes	\$ 4.33
Massachusetts	6201	26%	-	78%	22586	0	Yes	\$ 0.62
Michigan	7080	42%	5,055,023	54%	120699	0	No	\$ 1.91

Technical Appendix – High-Potential Regions for Electric Truck Deployments

Indicator Analysis

As mentioned above, the study team evaluated multiple indicators for each of three overarching framework categories:

- Technology
- Need
- Support

How these indicators were evaluated is explained below and is summarized in the following table.

Figure 4: Summary of Analysis for High-Potential Regions for Electric Truck Deployments

<u>Category</u>	<u>Indicator</u>	<u>Metric</u>	<u>Data Source(s)</u>	<u>Data Year</u>	<u>Scoring</u>
Technology	Climate	Sum of heating degree days and cooling degree days	Energy Star PortfolioManager Degree Days Calculator	2019	<5000 = 2 pts 5000-7000 = 1 pt >7000 = 0 pts
	Electricity Pricing	Percent savings from using electricity rather than diesel	EIA Electric Power Monthly , EIA Monthly Retail Diesel Prices , and NRCAN Electricity and Diesel data	2020	>40% = 2 pts 20-40% = 1 pt <20% = 0 pts
Need	Air Quality	Population of counties in nonattainment for 8-hr ozone	EPA Green Book and CAPMoN	2019 and 2016	>1M = 2 pts 1-1M = 1 pt 0 = 0 pts
	Greenhouse Gas Emissions	Reduction in lifecycle GHG emissions compared to diesel	UCS Ready for Work report and Canada Energy Regulator	2019	70+% = 2 pts 50-69% = 1 pt 35-49% = 0 pts
	Freight Flow	Ton-miles	BTS State Transportation Statistics and Canadian Freight Analysis Framework	2018 and 2017	>100B = 2 pts 50-100B = 1 pt <50B = 0 pts
Support	Supportive Policies & Incentives	Number of supportive policies in place	EV Hub Public Policies Map , CARB , and The Pembina Institute	2020	>2 = 2 pts 1 = 1 pt 0 = 0 pts
	Expressed Interest	NESCAUM zero-emission truck MOU signatory or Global Commercial Vehicle Drive to Zero pledge partner	Multi-State Medium- and Heavy-Duty Zero Emission Vehicle Memorandum of Understanding , and Global Commercial Vehicle Drive to Zero	2020	State/province interest = 2 pts Federal interest only = 1 pt No expressed interest = 0 pts

Technical Appendix – High-Potential Regions for Electric Truck Deployments

	Funding Availability	Approved VW funding & utility investment per vehicle	EV Hub VW Settlement Dashboard , EV Hub Electric Utility Filings Dashboard , FHWA Highway Statistics , and The Pembina Institute	2020 & 2018	>US \$2 = 2 pts \$0.01-\$2 = 1 pt \$0 = 0 pts
--	----------------------	--	--	-------------	---


Technology

We assessed two indicators to determine which regions have the highest potential for electric trucks with respect to technology: climate and electricity pricing.

Climate

As mentioned in the report, climate is important because it impacts the battery performance and increases auxiliary loads for heating and cooling the cab and therefore reduces the range of the truck. Vehicles tend to maximize their range when operating in 70°F (21°C) weather, with range decreasing as temperature increases or decreases (Fleetcarma 2020).

Figure 5: Impact of Temperature on Electric Vehicle Range



Source: Fleetcarma

In order to evaluate how ideal or not a climate is for electric trucks, we used data on heating degree days (HDD) and cooling degree days (CDD) by region. HDD and CDD are measures of how cold or hot, respectively, the temperature was on a given day or during a period of days in a particular location (US Energy Information Administration 2020). According to the US Energy Information Administration, a degree day “compares the mean (the average of the high and low) outdoor temperatures recorded for a location to a standard temperature, usually 65° Fahrenheit (F) in the United States. The more extreme the outside temperature, the higher the number of degree days.” For example, a day with a mean temperature of 45°F has 20 HDD. Two such cold days in a row have a total of 40 HDD for the two-day period. Similarly, a day with a mean temperature of 85°F has 20 CDD.

Technical Appendix – High-Potential Regions for Electric Truck Deployments

HDD and CDD are used to estimate how much heating or cooling is necessary and are typically weighted according to the population of a region to estimate energy consumption. However, since this analysis is focused on vehicle energy use rather than home energy use, we utilized non-population-weighted data, available from Energy Star® PortfolioManager® (Energy Star PortfolioManager 2020). We analyzed the sum of CDD and HDD for 2019 for the biggest city in each state and province, assuming that the most freight is being moved near the largest cities. For example, Atlanta, Georgia had 2,701 HDD and 1,978 CDD in 2019, for a total of 4,679.

Figure 6: Degree Days Calculator

Degree Days Calculator

This online calculator pulls weather station data—including heating and cooling degree days (HDD and CDD)—from more than 900 weather stations around the United States and Canada. Use the weather normalization data here to adjust your building's or industrial plant's energy usage data for changes in weather.

Enter in your information below to get started.

Country:

State/Province:

Postal Code:

Year Ending:

Calculate

Results

Weather Station ID: 722196
Weather Station Name: DEKALB PEACHTREE

Time Period: January 01, 2019 - December 31, 2019
Annual HDD: 2701 °F
Annual CDD: 1978 °F

Measurement: °F °C

About HDD and CDD

Heating Degree Days (HDD) and Cooling Degree Days (CDD) are a measure of how much heating or cooling is necessary given the recorded temperatures for a particular weather station for a given time period. They are computed relative to a base of 65°F. [Learn More](#)

Source: Energy Star PortfolioManager

States and provinces with less than 5000 heating and cooling degree days scored 2 points for climate. States and provinces with 5001 to 7000 heating and cooling degree days scored 1 point, and states and provinces with more than 7000 heating and cooling degree days scored 0 points.

Electricity Pricing

The most obvious technological difference between electric and diesel trucks is the energy source – namely, electricity instead of diesel fuel. In order to evaluate which regions present the biggest opportunity for cost savings by switching from diesel to electricity, we couldn't simply analyze where electricity is cheapest, since this doesn't account for the regional variability in diesel prices or the increased efficiency of electric trucks. Instead, we compared the estimated cost of fueling a diesel truck with the estimated cost of charging an electric truck.

Technical Appendix – High-Potential Regions for Electric Truck Deployments

To conduct this analysis, we first calculated the electricity price per mile by multiplying each state or province’s average price of electricity to commercial customers in April 2020 for the US (US Energy Information Administration 2020) or to industrial customers in 2018 for Canada (Natural Resources Canada 2020) by an assumed average efficiency of 2.5 kWh/mile (1.6 kWh/kilometer), based on existing vehicle specs compiled by CALSTART (CALSTART 2020). Then, to calculate the diesel price per mile, we multiplied the on-highway average retail price for diesel in 2020 (US Energy Information Administration 2020) (Natural Resources Canada 2020) by an assumed national average efficiency of 0.17 gallons/mile (6.0 mpg), based on analysis from Run On Less Regional (North American Council for Freight Efficiency 2020).¹ For Canadian provinces, we used an average of the diesel price from January through October 2020, and for US states, we used January 2020 diesel prices because we didn’t want to skew the results by focusing on the temporary drop in price due to COVID-19. (Electricity prices are more highly regulated and therefore did not experience a drop in price due to COVID-19.) Finally, we compared these two costs.

States and provinces with potential savings of more than 40% from switching from diesel to electricity scored 2 points for electricity pricing. States and provinces with potential savings of more than 20% to 40% scored 1 point, and states and provinces with less than 20% potential savings scored 0 points.

Note that this analysis does not account for demand charges or other differences in electricity pricing that vary by utility. Though when considering deployments of electric trucks, fleets should be sure to understand the expenses they’ll face for charging, including not only the electricity itself, but also the cost of the charger, software, and installation (if the fleet chooses to own the electric vehicle supply equipment [EVSE]) or the markup for these expenses and an administrative fee (if the fleet chooses to procure electricity via a charging-as-a-service model).

Need

We assessed three indicators to determine which regions have the highest potential for electric trucks with respect to need: air quality, life cycle greenhouse gas emissions, and freight flow.

Air Quality

Because they emit no tailpipe emissions, electric trucks offer an improvement in local air quality compared to diesel trucks, which emit air pollution that negatively impacts human health. Regions with particularly bad air pollution are designated in the US as in “nonattainment” with National Ambient Air Quality Standards (NAAQS) and in Canada as exceeding the Canadian Ambient Air Quality Standards (CAAQS).

To determine where electric truck deployments can provide the greatest good for the greatest number of people, we identified the total population living areas that exceed the country’s Ambient Air Quality Standards – specifically, the country’s 8-hour ozone standard (US Environmental Protection Agency 2020) (Canadian Council of Ministers of the Environment 2020).

¹ Fleets in NACFE’s annual fleet fuel study averaged 7.2 MPG for 2018 (North American Council for Freight Efficiency 2019), and in our Run on Less Regional, the nine diesel trucks averaged 8.7 MPG. The original Run on Less in 2017 saw long-haul trucks achieve over 10 MPG, reflecting what is feasible with well-trained drivers and modern trucks. This analysis uses the 6.0 national average, though we encourage stakeholders to use the framework provided here to run their own analysis using the average diesel efficiency of the vehicles within their fleet or jurisdiction.

Technical Appendix – High-Potential Regions for Electric Truck Deployments

For the purposes of our US analysis, we utilized this UCS classification system, where states representing a <50% reduction in life-cycle emissions are rated as “good”, states representing a 50-69% reduction are rated as “better”, and states representing a 70+% reduction are rated as “best”. If a state included multiple grid regions, we defaulted to the classification that applied to more of the geographic area of the state. For example, although part of Missouri is in a “better” region, the majority of the state is covered by a “good” region, so our analysis assumed a “good” classification for the entire state.

Because the UCS analysis did not include Canadian provinces and the analysis methodology was not replicable for Canada given the limits of EPA GREET data, for our Canadian analysis, we attempted to compare Canadian province energy mixes with representative examples from the UCS study. Specifically, we identified the percent of electricity being generated from carbon-free sources (hydro, wind, solar, biomass/geothermal, or uranium/nuclear) and the percent generated from coal and coke (Canada Energy Regulator 2020). Based on the US state classifications, we then assumed that provinces with <25% carbon-free electricity and ≥40% coal generation are “good”, provinces with 25-30% carbon-free electricity and <40% coal generation are “better”, and provinces with >30% carbon-free electricity and <30% coal generation are “best”.

States and provinces classified as “best” scored 2 points for GHG emissions. States and provinces classified as “better” scored 1 point, and states and provinces classified as “good” scored 0 points.

As the electric grid across the continent gets cleaner and cleaner, so too will life-cycle emissions of electric trucks.

Freight Flow

Electric truck deployments are most needed in areas of high freight movement. Not only is freight activity a sort of proxy for the air pollution and GHG emissions challenges mentioned above, but it also highlights where freight movement is concentrated and therefore where fleets are most likely to influence their peers and help the industry as a whole move forward.

We evaluated freight movement based on data from the US Bureau of Transportation Statistics (Bureau of Transportation Statistics 2020) and the Canadian Freight Analysis Framework (Statistics Canada 2020) about the number of ton-miles or tonne-kilometers of freight being transported by state.

States and provinces with more than 100 billion ton-miles (or about 161 billion tonne-kilometers) originating within the state/province scored 2 points for freight flow. States and provinces with more than 50 billion but less than 100 billion ton-miles (80 billion – 161 billion tonne-kilometers) scored 1 point, and states and provinces with less than 50 billion ton-miles (80 billion tonne-kilometers) scored 0 points.

Support

We assessed three indicators to determine which regions have the highest potential for electric trucks with respect to support: supportive policies and incentives, expressed interest, and funding availability.


Supportive Policies and Incentives

Obviously, states with zero-emission truck mandates such as California’s Advanced Clean Truck rule should be prioritized for electric truck deployments. However, some states and provinces also encourage electric trucks via incentives such as grants, rebates, income tax credits, sales tax exemptions, and loans. The more incentives available for electric trucks, the more likely a fleet is to be able to deploy

Technical Appendix – High-Potential Regions for Electric Truck Deployments

them. Therefore, for this indicator, we look at the total number of these policies available, for which we relied on US data from Atlas EV Hub (Atlas Public Policy 2020) and Canadian data from the Pembina Institute (The Pembina Institute 2020).

Figure 8: US Medium- and Heavy-Duty Electric Truck Incentives Available



Source: Atlas EV Hub

Since California is the only state or province with a heavy-duty zero-emission vehicle mandate, they received an extra number added to their policy count. Similarly, since Canada has a nationwide tax write-off for zero-emission light-, medium- and heavy-duty vehicles, each Canadian province also received an extra number added to their policy count.


States and provinces with two or more supportive policies or incentives scored 2 points for this indicator. States and provinces with one scored 1 point, and states and provinces with no supportive policies or incentives scored 0 points.

Expressed Interest

Some states and provinces may be interested in supporting deployments of zero-emission trucks though they have not yet been able to approve specific policies or incentives. These states should still be prioritized for deployments since stakeholders in these regions are likely in the process of developing these sorts of policies and incentives and may themselves be incentivized by the interest expressed by policymakers to ensure the successful deployment of electric trucks.

As an indicator of expressed interest for the US, we identified the fifteen states and District of Columbia that are signatories to the Multi-State Medium- and Heavy-Duty Zero Emission Vehicle Memorandum of Understanding, organized by Northeast States for Coordinated Air Use Management (NESCAUM) in June 2020.

Figure 9: Multi-State Medium- and Heavy-Duty Zero Emission Vehicle Memorandum of Understanding



Source: NESCAUM

Signatory states scored 2 points for expressed interest, while non-signatories scored 0 points.

As an indicator of expressed interest for Canada, we identified the provinces that have pledged to partner with CALSTART’s Global Commercial Vehicle Drive to Zero program (CALSTART 2020). The pledge requires partners to recognize the importance of reducing GHG emissions in MHDVs, recognize the importance of focusing on ‘beachhead’ applications in which zero-emission MHDVs have the most immediate potential, and commit to actions including information sharing, identifying best practices, and coordinating globally. Canada is also a Drive to Zero pledge partner.

Provincial pledge partners scored 2 points for expressed interest, while those provinces who have not explicitly partnered with Drive to Zero scored 1 point representing Canada’s overall partnership.

Funding Availability

Finally, we also considered funding availability for electric trucks. For the US, we considered funding from either VW settlement funds or approved utility filings. For data on both, again we relied on Atlas EV Hub. We looked at the total amount of funding available for which zero-emission trucks are eligible and then determined the total amount of funding available per truck registered in the state, with data for the latter available from the FHWA (US Department of Transportation Federal Highway Administration 2019).

Technical Appendix – High-Potential Regions for Electric Truck Deployments

Figure 10: Approved Electric Utility Filings for Medium- and Heavy-Duty Electric Vehicles



Source: Atlas EV Hub

For Canada, we considered national funding such as the Zero Emission Vehicle Infrastructure Program (ZEVIP) and provincial programs like British Columbia’s Specialty Use Vehicle Incentive (SUVI) program and Québec’s Écocamionnage and Transportez Vert programs. Information on these programs and their budgets came from the Pembina Institute and additional desk research utilizing province’s government webpages. For Canadian provinces as well, we looked at the total amount of funding available for which zero-emission trucks or charging infrastructure are eligible and then determined the total amount of funding available per truck registered in the province, with data for the latter available from the Government of Canada (Government of Canada 2020).

States and provinces with more than US\$2 (~CAN\$2.63) available per vehicle scored 2 points for this indicator. States and provinces with some funding but less than US\$2 available per vehicle scored 1 point, and states and provinces with no funding available scored 0 points.

Table of Figures

Figure 1: Framework for Identifying and Prioritizing High-Potential Regions for Electric Truck Deployments..... 4

Figure 2: Heatmap of High-Potential Regions for Electric Truck Deployments 5

Figure 3: High-Potential Regions for Electric Trucks Data Analysis Tool - US 6

Figure 4: Summary of Analysis for High-Potential Regions for Electric Truck Deployments..... 7

Figure 5: Impact of Temperature on Electric Vehicle Range 8

Figure 6: Degree Days Calculator 9

Figure 7: Life-cycle Greenhouse Gas Emissions Benefits of Electric Trucks Compared to Diesel..... 11

Figure 8: US Medium- and Heavy-Duty Electric Truck Incentives Available 13

Figure 9: Multi-State Medium- and Heavy-Duty Zero Emission Vehicle Memorandum of Understanding..... 14

Figure 10: Approved Electric Utility Filings for Medium- and Heavy-Duty Electric Vehicles..... 15

Bibliography

- Atlas Public Policy. 2020. *Atlas EV Hub*. <https://www.atlasevhub.com>.
- Bureau of Transportation Statistics. 2020. *Freight Flows by State*. <https://cms.bts.gov/freight-flows-state>.
- . 2020. *Freight Flows By State*. Accessed October 2020. <https://cms.bts.gov/freight-flows-state>.
- CALSTART. 2020. *Global Commercial Vehicle Drive to Zero*. Accessed October 2020. <https://globaldrivetozero.org/>.
- . 2020. *Zero-Emission Technology Inventory*. <https://globaldrivetozero.org/tools/zero-emission-technology-inventory/>.
- Canada Energy Regulator. 2020. *Provincial and Territorial Energy Profiles*. September 29. Accessed October 2020. <https://www.cer-rec.gc.ca/en/data-analysis/energy-markets/provincial-territorial-energy-profiles/provincial-territorial-energy-profiles-canada.html>.
- Canadian Council of Ministers of the Environment. 2020. *State of the Air Report*. Accessed October 2020. <http://airquality-qualitedelair.ccme.ca/en/>.
- Energy Star PortfolioManager. 2020. *Degree days calculator*. <https://portfoliomanager.energystar.gov/pm/degreeDaysCalculator>.
- Fleetcarma. 2020. *The Geography of EV Charging*. <https://www.fleetcarma.com/resources/the-geography-of-ev-charging/>.
- Government of Canada. 2020. *Vehicle registrations, by type of vehicle*. Accessed October 2020. <https://open.canada.ca/data/en/dataset/9aea572f-f54f-42a1-b411-0b06390ed9f9>.
- Natural Resources Canada. 2020. *Electricity Facts*. Accessed September 2020. <https://www.nrcan.gc.ca/science-data/data-analysis/energy-data-analysis/energy-facts/electricity-facts/20068#L5>.
- . 2020. *Monthly Average Retail Prices for Diesel in 2020*. Accessed September 2020. https://www2.nrcan.gc.ca/eneene/sources/pripri/prices_bycity_e.cfm?productID=5&locationID=8&locationID=43&locationID=39&locationID=35&locationID=28&locationID=13&locationID=44&locationID=17&locationID=2&locationID=1&locationID=15&locationID=7&frequency=M&.
- North American Council for Freight Efficiency. 2019. "2019 Annual Fleet Fuel Study." December 29. <https://nacfe.org/annual-fleet-fuel-studies/>.
- . 2020. *Electric Trucks in Regional Haul Project*. <https://nacfe.org/emerging-technology/electric-trucks-2/electric-trucks-in-regional-haul-project/>.
- . 2020. *Run On Less Regional*. <https://nacfe.org/run-on-less-regional-report/>.
- Statistics Canada. 2020. *Canadian Freight Analysis Framework*. May 14. Accessed October 2020. <https://www150.statcan.gc.ca/n1/pub/50-503-x/50-503-x2018001-eng.htm>.

Technical Appendix – High-Potential Regions for Electric Truck Deployments

The Pembina Institute. 2020. *Building a zero-emission goods movement system*. Calgary: The Pembina Institute.

Union of Concerned Scientists. 2019. "Ready for Work: Now Is the Time for Heavy-Duty Electric Vehicles." December 11. <https://www.ucsusa.org/resources/ready-work>.

US Department of Transportation Federal Highway Administration. 2019. *Highway Statistics – 2018*. <https://www.fhwa.dot.gov/policyinformation/statistics/2018/mv1.cfm>.

US Energy Information Administration. 2020. *Degree days*. <https://www.eia.gov/energyexplained/units-and-calculators/degree-days.php>.

—. 2020. *Electric Power Monthly*. https://www.eia.gov/electricity/monthly/epm_table_grapher.php?t=table_5_06_a.

—. 2020. *Weekly Retail Gasoline and Diesel Prices*. https://www.eia.gov/dnav/pet/pet_pri_gnd_dcus_r10_m.htm.

US Environmental Protection Agency. 2020. *Current Nonattainment Counties for All Criteria Pollutants*. <https://www3.epa.gov/airquality/greenbook/ancl.html>.



About NACFE

The North American Council for Freight Efficiency (NACFE) works to drive the development and adoption of efficiency enhancing, environmentally beneficial, and cost-effective technologies, services, and operational practices in the movement of goods across North America. NACFE provides independent, unbiased research, including Confidence Reports on available technologies and Guidance Reports on emerging ones, which highlight the benefits and consequences of each, and deliver decision-making tools for fleets, manufacturers, and others. NACFE partners with Rocky Mountain Institute (RMI) on a variety of projects including the Run on Less fuel efficiency demonstration series, electric trucks, emissions reductions, and low-carbon supply chains. www.nacfe.org

About RMI

Rocky Mountain Institute (RMI)—an independent nonprofit founded in 1982—transforms global energy use to create a clean, prosperous, and secure low-carbon future. It engages businesses, communities, institutions, and entrepreneurs to accelerate the adoption of market-based solutions that cost-effectively shift from fossil fuels to efficiency and renewables. RMI has offices in Basalt and Boulder, Colorado; New York City; Washington, D.C.; and Beijing. www.rmi.org

© 2020 North American Council for Freight Efficiency and Rocky Mountain Institute. All rights reserved. The contents of this document are provided for informational purposes only and do not constitute an endorsement of any product, service, industry practice, service provider, manufacturer, or manufacturing process. Nothing contained herein is intended to constitute legal, tax, or accounting advice, and NACFE and RMI assume no liability for use of the report contents. No portion of this report or accompanying materials may be copied, reproduced, or distributed in any manner without express attribution to the North American Council for Freight Efficiency and Rocky Mountain Institute.